Digital Smile Design: Revolutionizing Aesthetic Dentistry Through Technological Innovation

Dr. Aaliya Mariam[1], Dr. Veena S Prakash[2]

[1]Post Graduate, [2]Professor
[1]Department of Prosthodontics,
[1]College of Dental Sciences, Davangere, India

Abstract: The advent of advanced technologies in dentistry has significantly transformed oral healthcare, with Digital Smile Design (DSD) emerging as a pioneering methodology that integrates digital imaging, design, and patient engagement to enhance aesthetic dental treatments. DSD surpasses traditional smile analysis by utilizing digital tools that enable both clinicians and patients to visualize the anticipated outcomes before commencing treatment. Christian Coachman's 2017 study delineates the evolutionary trajectory of DSD through six generations, from analog drawings to the incorporation of 4D concepts. Smile analysis, a critical component of DSD, assesses macro- and micro-aesthetic elements of dental facial aesthetics, utilizing multiple photographic views to ensure form and balance. The DSD procedure involves applying reference lines to extraoral and intraoral digital images, analyzing facial symmetry and dental contours, and using tools like Photoshop to design and present the proposed smile to patients. DSD offers numerous advantages, including enhanced patient outcomes, improved treatment predictability, and greater patient involvement in the design process. In conclusion, DSD represents a revolutionary advancement in dentistry, combining technology and artistry to personalize and enhance smile designs.

Index Terms: Digital smile design (DSD), smile analysis, Photoshop

I. INTRODUCTION

In the ever-evolving landscape of dentistry, the integration of advanced technologies has revolutionized the way oral healthcare is approached. One such groundbreaking innovation is Digital Smile Design (DSD), a cutting-edge methodology that seamlessly combines digital imaging, design, and patient engagement to enhance the precision and personalization of aesthetic dental treatments.

Digital Smile Design transcends traditional smile analysis by leveraging digital tools to allow both clinicians and patients a comprehensive visualization of the anticipated final outcome before any treatment commences. This transformative approach not only empowers patients to actively participate in their own smile design but also enables clinicians to address concerns, educate patients, and establish a shared understanding of the expected results.

II. TYPES AND STYLES OF SMILES

There are two primary types of smiles: the social smile and the enjoyment smile, each with distinct anatomical features.

Social Smile

- Used as a greeting
- Voluntary and static
- Moderate muscle contraction of the lip elevators
- Displays teeth and sometimes gums.

Enjoyment Smile

- Elicited by laughter or pleasure
- Involuntary
- Maximal muscle contraction of both lip elevators and depressors
- Full expansion of lips, showing maximum teeth and gums.[1]

Figure 1 – Anterior tooth display in social and enjoyment smiles

Smile Styles

Smile style is determined by the direction of lip movement and the predominant muscles involved. There are three main styles:

1. **Cuspid Smile**
   - Involves all upper lip elevators
   - Raises the upper lip like a window shade, exposing teeth and gums
2. **Complex Smile**
   - Involves both upper lip elevators and lower lip depressors
   - Raises the upper lip and lowers the lower lip, showing more teeth and gums
3. **Mona Lisa Smile**
   - Involves the zygomaticus major muscles
   - Draws the outer commissures upward and outward with a gradual elevation of the upper lip
   - Displays fewer teeth and less gum compared to a complex smile. [1]

Figure 2- Three smile styles A. Cuspid B. Complex C. Mona Lisa

III. EVOLUTION OF SMILE DESIGNING:

Christian Coachman's 2017 study on smile designing outlines the evolution of the field over several generations.

1. The first generation involved analog drawings on photographs without a connection to the study model.
2. The second generation introduced digital 2D drawings, enhancing accuracy and efficiency.
3. The third generation introduced digital 2D drawings with an analogue connection to the model.
4. The fourth generation introduced digital 2D drawings with a digital connection to the 3D model.
5. The fifth generation introduced a comprehensive 3D workflow.
6. The sixth generation introduced the 4D concept, incorporating motion into smile design. [2]

IV. SMILE ANALYSIS

Dental facial aesthetics can be categorized into macro- and micro-elements, with macro-aesthetics focusing on the pleasing interrelationships among the face, lips, gingiva, and teeth, and micro-aesthetics focusing on individual teeth's color and form. [3]

Smile analysis involves a macro-level assessment of the patient's face, individual tooth evaluation, and material selection. [3]

Multiple photographic views aid this analysis, with facial elements assessed for form and balance.[3] Oral esthetics, involving the dentolabial gingival relationship, initiates treatment planning. Ideal maxillary incisal edge placement is determined by the rule of 4.2.2.

The 4.2.2 rule provides guidelines for the ideal display of the maxillary central incisors, gingival tissue visibility, and the incisal line's proximity to the lower lip when evaluating an esthetic smile (Figs 3a & 3b). [4] [5] [7]

This rule suggests that, in the pursuit of fuller and brighter smiles, approximately 4 mm of the maxillary central incisors should be visible when the lips are at rest. During a full smile, revealing no more than 2 mm of gingiva is considered ideal. Additionally, the incisal line should be very close to, but not more than 2 mm away from, the lower lip. These guidelines are subjective and should serve as a preliminary framework for determining the appropriate incisal edge position. [4] [5] [7]

Figure 3 – (a) 4mm of space between the incisal edge and the lower lip (b) minus 3 mm gingival display

Dentogingival esthetics involve gingival margin placement and shape, with midline adjustments prioritizing esthetic intra- and inter-tooth relationships.

Dental aesthetics are influenced by facial characteristics, with different face shapes requiring specific tooth shapes. Inter-tooth relationships involve proportions like the golden proportion and the 1-2-3-4-5 rule. [6] [8]

This rule suggests that the lateral incisor should be 2/3 the size of the central incisor, and the canine should be 4/5 the size of the lateral incisor, allowing for some flexibility within these proportions. [8]



Figure 4- A general rule for achieving proportional smile design should measure 2/3 of the centrals and canines 4/5 of the laterals

V. TYPES OF DSD SOFTWARE

The clinician may follow any one of the given softwares:

1. Photoshop CS6 (Adobe Systems Incorporated),
2. Microsoft PowerPoint (Microsoft Office, Microsoft, Redmond, Washington, USA).
3. Smile Designer Pro (SDP) (Tasty Tech Ltd),
4. Aaesthetic Digital Smile Design (ADSD - Dr. Valerio Bini),
5. Cerec SW 4.2 (Sirona Dental Systems Inc.),
6. Planmeca Romexis Smile Design (PRSD) (Planmeca Romexis®),
7. VisagiSMile (Web Motion LTD),
8. DSD App by Coachman (DSDApp LLC),
9. Keynote (iWork, Apple, Cupertino, California, USA)
10. Guided Positioning System (GPS)
11. DSS (EGSolution)
12. NemoDSD (3D)
13. Exocad DentalCAD 2.3 [9] [10]

VI. PROCESS OF IMPLEMENTING DSD

The implementation of Digital Smile Design (DSD) software involves the application of reference lines and shapes on both extraoral and intraoral digital images. In the analysis of the face, uniform parameters are utilized to establish reference lines for the frontal view. Horizontal lines, including inter-pupillary and inter-commissural lines, along with vertical lines such as the facial midline passing through the glabella, nose, and chin, contribute to this facial analysis. [11] [13]

Symmetry and cant of the face are assessed by intersecting these horizontal and vertical lines.[12] To determine the ideal horizontal plane and vertical midline, a facial photograph featuring a wide smile and separated teeth is aligned with this intersecting cross. This alignment facilitates a comparative analysis of the teeth and face. The analysis extends to dento-gingival aspects, examining the length of the upper lip at rest and during a smile. The establishment of a smile curve involves correlating the curvature of the maxillary anterior teeth's incisal edges. Dental contouring is then guided by lower lip proportions and the anterior-posterior curvature of the teeth.

On the teeth, three reference lines are marked, including a straight horizontal line from canine tip to tip, another on the incisal edges of central incisors, and a vertical line passing through the dental midline. Additional lines, such as the gingival zenith, contribute to a comprehensive dental analysis. Utilizing a digital ruler, adjustments can be made, allowing for modification, reduction, or adaptation based on aesthetic requirements and the individual needs of the patient. Once the desired smile design is achieved, it is digitally presented to the patient for feedback and evaluation. [10]

VII. SMILE DESIGN USING PHOTOSHOP

The Photoshop Design technique is a digital conversion method used to create a new smile design. It involves creating an actual tooth length to digital conversion and digitally determining the proposed new length and proportion of the teeth.



Figure 5- (a) To determine the digital tooth size, a conversion factor is created by dividing the proposed length by the existing length of the tooth (b) Select the ruler tool in Photoshop

To determine the digital tooth size, divide the proposed length by the existing tooth length and measure the patient's tooth in the mouth or on a cast.

Open the full arch cheeks-retracted view in Photoshop, zoom in on the central incisor, select the eyedropper palette, and use the ruler tool to generate a vertical number.



Figure 6- (a) Measure the digital length of the central incisor using the ruler tool. (b) Measure the new digital length using the conversion factor created earlier

Determine the digital tooth width using the same formula. Next, choose a custom tooth grid appropriate for the patient and apply it to the smile-designed image.

Adjust the size of the grid to align with the new proposed length and use the liquefy tool to adjust individual areas.



Figure 7- (a) Adjust the grid as required while maintaining proper proportions by using the free transform tool in the edit menu (b) Modify the grid shape as necessary using the liquefy tool

To create new aesthetic teeth, use the new tooth grid layer and magic wand tool to select all teeth in the grid.
Expand the selection by 2 pixels, activate the layer of teeth, activate the liquefy filter, and use the forward warp tool to mold the tooth into the new outline form. Repeat this process for each tooth.

Figure 8 – With the layer of the teeth highlighted, choose "liquefy"; a new window will appear with a red background called a "mask"

Figure 9- Shape one tooth at a time as needed by selecting "wand"

Adjust tooth brightness by selecting the whitening tool, setting the exposure to approximately 20%, and performing changes on only one side of the mouth.
Save the information for presentation to the patient by going to "file" and "save as," then name the file, save as a JPEG file type, and designate the location for the file. [13]

Figure 10- Image of all the teeth bleached with the "dodge" tool

VIII. ADVANTAGES OF DSD

Digital imaging and design enhance patient outcomes, improve treatment predictability, and address patient concerns. Digital Smile Design (DSD) allows patients to personalize smile designs, involving them in decision-making. This results in a more aesthetically pleasing, confident smile. DSD also facilitates comparisons between pre and post-treatment changes, fostering collaboration among clinicians, patients, and lab technicians. Accessibility of information promotes transparency, teamwork, and interdisciplinary treatment planning. Lab technicians benefit from patient feedback, ensuring the quality of the final result. [10] [14] [15]

IX. CONCLUSION

Digital Smile Design (DSD) is a revolutionary advancement in dentistry, combining technology and artistry to enhance smiles. It offers patients a preview of their anticipated smiles before treatment, enhancing communication and fostering collaborative decision-making. DSD's intricate analysis of facial, dento-gingival, and dental parameters allows for personalized, emotionally satisfying designs. As 4D technology advances, DSD will elevate aesthetic dentistry standards and emphasize patient-centric approaches and interdisciplinary collaboration.

REFERENCES

[1] Ackerman MB, Ackerman JL. Smile analysis and design in the digital era. J Clin Orthod 2002;36:221-36.
[2] Chitlange PM, Madhu PP, Reche A. Digital Smile Design-An Overview of 3D Digital Workflow. JOURNAL OF CLINICAL AND DIAGNOSTIC RESEARCH. 2023 Jan 1;17(1):ZE01-5.
[3] McLaren EA, Tran Cao P. Smile analysis and esthetic design: "in the zone." Inside Dent. 2009;5(7):46-8.
[4] Rufenacht CR. Principles of esthetic integration. Hanover Park (IL): Quintessence Pub.; 2000.
[5] McLaren EA, Rifkin R. Macroesthetics: facial and dentofacial analysis. J Calif Dent Assoc. 2002 Nov;30(11):839-46.
[6] Morley J, Eubank J. Macroesthetic elements of smile design. J Am Dent Assoc. 2001;132:39-45.
[7] Vig RG, Brundo GC. The kinetics of anterior tooth display. J Prosthet Dent. 1978:39;502-4.
[8] Culp L, McLaren EA, Swann LC. Smile analysis: the photoshop smile design technique part 2. J. Cosmet. Dent. 2013;2(29):94-108.
[9] Omar D, Duarte C. The application of parameters for comprehensive smile aesthetics by digital smile design programs: a review of literature. Saudi Dent J. 2018;30(1):7–11.
[10] Jafri Z, Ahmad N, Sawai M, Sultan N, Bhardwaj A. Digital Smile Design-An innovative tool in aesthetic dentistry. Journal of oral biology and craniofacial research. 2020 Apr 1;10(2):194-8.
[11] Chiche G, Pinault A. Diagnosis and treatment planning of aesthetic problems. Aesthetics of Anterior Prosthodontics. Quintessence. 2004; 2004:13–25.
[12] Cohen SE. Fundamentals of Dental Aesthetics: Analysis. Atlas of Cosmetic and Reconstructive Periodontal Surgery. third ed. PMPH; 2007:217–238.
[13] Edward A, Mc L. Smile Analysis the Photoshop Smile Design Technique: Part 1. J. Cosmetic Dent. 2013;29:94-108.
[14] Fan F, Li N, Huang S, Ma J. A multidisciplinary approach to the functional and aesthetic rehabilitation of dentinogenesis imperfecta type II: a clinical report. J Prosthet Dent. 2019;122(2):95–103.
[15] Ahrberg D, Lauer HC, Ahrberg M, Weigl P. Evaluation of fit and efficiency of CAD/ CAM fabricated all-ceramic restorations based on direct and indirect digitalization: a double-blinded, randomized clinical trial. Clin Oral Invest. 2016;20(2):291–300.