Cognitive-Behavioral Interventions for Immune Mediated Disorders

Snehal Vij

Student
Mayur School, Noida

Abstract: Cognitive-Behavioral Interventions (CBIs) for immune-mediated disorders represent a promising and evolving area within psychosomatic medicine, focusing on the interplay between psychological processes and the immune system's functioning. These interventions are built on the premise that cognitive, emotional, and behavioral factors significantly influence immune-mediated diseases, which include a wide range of conditions characterized by an abnormal immune response. CBIs aim to modify these psychological factors to improve physical health outcomes, particularly in disorders where immune dysregulation plays a central role. The significance of CBIs lies in their capacity to offer comprehensive management strategies that address both the psychological and physiological aspects of immune-mediated disorders, thereby enhancing quality of life and potentially altering the disease course. The historical evolution of Cognitive Behavioral Therapy (CBT), the cornerstone of CBIs, illustrates its broad applicability and effectiveness across a spectrum of psychological and now physical health conditions. By integrating cognitive and behavioral theories, CBT provides a robust framework for understanding and intervening in the complex dynamics between mind and body, particularly in the context of immune function. Research has increasingly supported the notion that stress and psychological states can influence immune responses, with implications for the development, progression, and management of immune-mediated diseases. This underscores the importance of psychological interventions in the comprehensive care of individuals with these conditions. CBIs employ a variety of techniques aimed at reducing stress, enhancing coping skills, and modifying maladaptive cognitive and behavioral patterns that may adversely affect immune functioning. The efficacy of these interventions is supported by a growing body of evidence, which suggests that they can not only improve psychological well-being but also have beneficial effects on physiological markers of immune function. Despite the challenges in implementation, including the need for personalized therapy and a multidisciplinary approach, CBIs represent a vital component of the holistic treatment of immune-mediated disorders. The future of CBIs in the management of immune-mediated disorders is poised for further innovation, with ongoing research exploring more effective ways to integrate psychological interventions with medical treatment. This includes a greater focus on understanding the psychophysiological mechanisms underlying the benefits of CBIs, developing targeted therapies, and employing meta-analyses to synthesize evidence and guide clinical practice. As our understanding of the biopsychosocial model of health continues to evolve, CBIs will likely play an increasingly significant role in enhancing the care and outcomes of individuals with immune-mediated diseases.

Keywords: CBT, Immune mediated disorder

Introduction

Cognitive-behavioral interventions (CBIs) for immune-mediated disorders are designed to address the complex interplay between cognitive processes and the physical symptoms experienced by individuals with these conditions. These interventions are grounded in the understanding that thoughts, feelings, and behaviors are interconnected, and thus, modifying one aspect can lead to changes in the others, potentially impacting the course of an immune-mediated disorder[1]. The systematic review and meta-analysis aimed to evaluate the efficacy of compensatory interventions, which are a component of CBIs, specifically in the context of psychotic disorders[2]. This review sought to assess the range of compensatory interventions implemented, their impact on functional outcomes and symptoms, and to identify patient- and intervention-specific factors that might moderate treatment outcomes[2]. This endeavor is crucial as it highlights the broader applicability of CBIs beyond traditional mental health settings, suggesting their potential utility in managing complex immune-mediated disorders. Furthermore, the conceptual framework introduced in the research attempts to integrate behavioral comorbidities that are commonly observed in immune-mediated disorders[3]. These comorbidities often share common pathophysiological features, indicating a potential overlap in the underlying mechanisms that CBIs aim to target. By identifying these shared features, the framework supports the development of targeted interventions that can address multiple aspects of immune-mediated disorders, enhancing their therapeutic

relevance[3]. Modern cognitive-behavioral therapy (CBT) encompasses a variety of cognitive, behavioral, and emotion focused techniques[1]. This inclusive approach acknowledges not only the cognitive factors but also the physiological, emotional, and behavioral components that contribute to the persistence of immune-mediated disorders[1]. Through this multifaceted approach, CBIs aim to offer a comprehensive strategy for managing the symptoms of these disorders, providing a promising avenue for improving patient outcomes.

Historical Background

Cognitive-Behavioral Therapy (CBT), a psychological treatment method, has a well-documented history of effectively addressing a wide range of psychological issues, including depression, anxiety disorders, substance abuse, and severe mental illnesses[4][5]. The foundation of CBT lies in its focus on identifying and altering dysfunctional thought patterns, attitudes, and beliefs, which are posited to influence emotional responses and behavior adversely [4]. This therapeutic approach emphasizes the present situation and problem-solving techniques to help individuals develop coping strategies for dealing with life's challenges[4]. The relationship between psychological stressors, whether current or distant, and immune system dysfunction has been extensively studied, revealing a complex interplay between the mind and body's immune responses[6][7]. Distant stressors, traumatic events that occurred in the past, such as childhood sexual assault or experiences of war, have been shown to have long-lasting effects on the immune system, highlighting the potential for cognitive and emotional experiences to modify immune function[6]. This connection underscores the importance of addressing both current and historical psychological factors in the treatment of immune-mediated disorders. In recent years, there has been a growing interest in understanding how therapeutic interventions, particularly those that target cognitive and behavioral processes, can influence the immune system[7]. Chronic inflammation, often a result of an overactive or improperly functioning immune system, has been linked to a range of physical illnesses and mental health conditions, including anxiety disorders, depression, and schizophrenia[7]. Research led by individuals such as George Slavich, Ph.D., has aimed to better comprehend how interventions like CBT can affect the immune system, particularly through the modification of social and behavioral processes[7]. This historical background illustrates the evolution of CBT from a method focused primarily on mental health treatment to a broader therapeutic approach with implications for physical health, particularly in the realm of immune-mediated disorders. The intricate relationship between psychological stress, immune function, and chronic inflammation presents a compelling case for the integration of cognitive-behavioral interventions in the treatment and management of these disorders[8][9]. As our understanding of these connections deepens, it is likely that CBT and similar interventions will play an increasingly significant role in the holistic treatment of both mental and physical health conditions.

Theoretical Basis

Cognitive-behavioral interventions for immune-mediated disorders rest on a foundation of interrelated theories that address the complex interactions between cognition, behavior, and physiological processes. The cognitive theory, initially developed by A.T. Beck, provides a cornerstone for understanding how negative self-perceptions and attitudes contribute to emotional and psychological disorders[10]. This theory posits that the way individuals perceive themselves, their environment, and their future can significantly impact their mental health. Beck's insights into the cognitive underpinnings of depression have been expanded to encompass a broader range of disorders, including those influenced by immune system functioning[10]. Behavioral theories, particularly those focusing on classical and operant conditioning, offer another critical perspective by suggesting that behaviors, including maladaptive responses to illness, can be learned and, consequently, modified[10]. These theories highlight the role of reinforcement and punishment in shaping behavior, providing a framework for behavioral interventions in treating substance abuse and, by extension, behaviors related to immune-mediated disorders. Cognitive-behavioral therapy (CBT) synthesizes these cognitive and behavioral frameworks, integrating principles from cognitive theory, behavioral theory, and cognitive social learning theory[10]. This integration underscores the importance of cognitive processes, such as beliefs, expectations, and attributions, in mediating the relationship between external stimuli and behavioral responses. CBT emphasizes the role of cognitive factors in both the development and the treatment of disorders, suggesting that changing maladaptive thoughts and beliefs can lead to changes in behavior and emotional states[10]. The impact of cognitive-behavioral variables on the immune system, although perhaps underestimated, is gaining recognition within the scientific community[11]. Research has elucidated the intricate connections between the nervous system, immune system, and cognitive functions, showing how immune responses can influence cognitive abilities and vice versa[12]. This body of work supports the application of cognitive-behavioral interventions to immune-mediated disorders by highlighting the bidirectional influences between cognition, behavior, and immune system functioning. Furthermore, the generic cognitive model illustrates how thoughts, behaviors, moods, and physical reactions are interrelated and contribute to one another[13]. This model is particularly relevant for understanding immune-mediated disorders, as it suggests that

cognitive and behavioral patterns can influence physiological processes, including those governed by the immune system. By targeting these cognitive and behavioral patterns, CBT aims to not only improve mental health outcomes but also potentially influence the course of immune-mediated disorders[13][14].

Understanding Immune Mediated Disorders

Immune mediated disorders (IMIDs) encompass a wide array of diseases characterized by an aberrant immune response against the body's own cells or tissues, or an exaggerated reaction to external antigens. These disorders can affect virtually any part of the body and manifest through a variety of symptoms, making diagnosis and treatment a complex challenge[8][15][9][16].

Nature and Causes

At the heart of immune mediated disorders is dysregulation of the immune system. This dysregulation can lead to autoimmune diseases, where the body's immune system mistakenly attacks its own tissues, or to conditions resulting from an excessive immune response to external substances[8][9]. The precise causes of these disorders are not fully understood, but they are thought to result from a combination of genetic predisposition and environmental factors. These can trigger an inappropriate immune response in susceptible individuals[16].

Autoimmune Diseases

Autoimmune diseases such as rheumatoid arthritis (RA), lupus, and certain types of diabetes are characterized by the presence of auto-antibodies, which are immune system proteins that mistakenly target and attack the body's own cells[8]. Conditions like lupus can affect multiple organ systems, including the skin, kidneys, and lungs, and are associated with a variety of auto-antibodies[8].

Overactive Immune Responses

Disorders characterized by an overactive immune response to allergens or other external substances include allergic reactions and conditions like asthma and inflammatory bowel disease (Crohn's disease). In these cases, the immune system's aggressive response to harmless substances or triggers can lead to symptoms ranging from mild irritation to severe, life-threatening conditions[9].

Impact and Symptoms

The impact of immune mediated disorders on individuals can be profound, affecting quality of life (QoL) and leading to chronic pain, fatigue, and multiorgan dysfunction[16]. These diseases can have a systemic nature, with inflammation and autoimmune processes potentially affecting multiple organs and leading to a wide range of symptoms[15][16]. The complexity and variability of these disorders make them challenging to diagnose and manage effectively.

Psychological Aspects

In addition to physical symptoms, there is a growing recognition of the psychological impact of immune mediated disorders. Chronic stress and emotional processes have been linked to immune function, with stress potentially exacerbating symptoms or even contributing to the onset of disorders[17][4][13]. Cognitive behavioral therapy (CBT) and other psychological interventions have been shown to improve functioning and quality of life for individuals suffering from these conditions[4][13].

Diagnosis and Treatment

Early diagnosis and treatment are crucial for managing immune mediated disorders effectively[18]. Biomarkers and other diagnostic tools can help in identifying specific subtypes of disorders and predicting disease progression[19][20]. Treatment approaches are varied and can include medications to manage symptoms and control the immune response, as well as psychological interventions to address the emotional and cognitive aspects of living with chronic illness[4][13].

Mechanisms of Cognitive-Behavioral Interventions in Immune Mediated Disorders

Cognitive-behavioral interventions (CBIs) play a crucial role in the management and treatment of immune-mediated

disorders by influencing the psychosocial and physiological aspects of health. These interventions primarily focus on modifying the cognitive and behavioral patterns that contribute to the pathophysiology of various diseases, including those with significant immune system involvement.

Cognitive-Behavioral Strategies

The core cognitive-behavioral strategies employed in addressing immune-mediated disorders include relaxation training, enhancement of coping skills, graded exercise, and the establishment of appropriate sleep-wake habits and social rhythms. Such practices aim to mitigate the impact of stress on the immune response through direct effects on neuroendocrine-immune interactions[3]. Standardizing bed and wake-up times, avoiding daytime napping, and correcting maladaptive beliefs about sleep are examples of interventions designed to limit the influence of stress on health[3].

Impact on Immune Function

Research has consistently shown that cognitive-behavioral therapy (CBT) and other psychosocial interventions can enhance immune system function. This enhancement not only augments beneficial immune system activity but also concurrently decreases harmful immune system function[21][22]. These effects are particularly reliable in interventions that assess proinflammatory cytokines or markers, indicating a viable strategy for improving immune-related health outcomes[21].

Modulation of Stress-Response Systems

CBIs modulate the stress-response systems, which is a principal pathway through which these interventions exert their beneficial effects on immune-mediated conditions. By modulating these systems, CBIs can influence medical conditions implicated with the immune system, such as AIDS, cancer, and persisting inflammation[23][24]. This modulation is particularly relevant in conditions that are relatively long-term and involve chronic inflammation.

Psychological and Physiological Adaptation

Cognitive, behavioral, and social factors facilitated by CBIs play a significant role in adaptation during active treatment and throughout survivorship in conditions like cancer. These interventions can affect physiological adaptation systems, such as neuroendocrine systems, in parallel with psychological adaptation changes (e.g., negative affect). Such changes can alter tumor growth-promoting processes and tumor defense processes, thereby affecting disease progression and quality of life[25].

Role in Chronic Conditions

Chronic conditions associated with low-grade inflammation, such as cancer, type-2 diabetes, and autoimmune diseases, have shown to be influenced by CBI. Long-term and chronic stress, which CBIs aim to reduce, leads to persistently high levels of cortisol and corticosteroids, causing resistance to cortisol and impaired anti-inflammatory effects on the immune system[26][27]. Through reducing stress and modifying cognitive and behavioral patterns, CBIs can indirectly influence the course of these conditions and potentially improve outcomes.

Efficacy of Cognitive-Behavioral Interventions

Cognitive-Behavioral Therapy (CBT) has garnered significant empirical support across various research studies, suggesting its efficacy in enhancing functioning and quality of life across a wide array of conditions[4]. Specifically, CBT has demonstrated substantial effectiveness in treating symptoms of depression and anxiety in both children and adolescents. A notable 2018 meta-analysis encompassing 41 studies highlighted CBT's positive impacts on individuals suffering from anxiety and anxiety-related disorders, including obsessive-compulsive disorder (OCD) and post-traumatic stress disorder (PTSD), as well as its role in treating substance use disorders by improving self-control and developing coping mechanisms[5]. Furthermore, CBT interventions have been studied for their role in managing attention deficit hyperactivity disorder (ADHD) in adults, revealing significant outcomes when compared to unspecific controls. Meta analysis and systematic reviews have been conducted to ensure the homogeneity of these studies, taking into account the population, interventions, comparisons, and outcome measurement methods, thereby providing a robust evidence base for the efficacy of CBT in this domain[28]. The utility of CBT extends to psychotic disorders and stress-related immune alterations as well. Systematic reviews and meta-analyses have examined compensatory interventions in psychosis and the effect of stress-reducing psychological interventions on immune responses, illustrating the

multifaceted benefits of CBT across both psychological and physiological dimensions[2][29]. This includes its application in immune-mediated inflammatory diseases, where the interaction between psychological processes and immune function plays a critical role in health and disease processes[8][30]. CBT's generic cognitive model, which elucidates the interconnection between thoughts, behaviors, moods, and physical reactions, underpins its wide-ranging applicability and effectiveness in treating psychological disorders. The model's emphasis on present thoughts and beliefs facilitates short-term treatment strategies that are adaptable across various conditions[13]. Moreover, the application of CBT in oncology has shown promise in alleviating psychological distress and behavioral comorbidities in cancer patients, including depression, fatigue, sleep disturbances, and cognitive dysfunction. Psychological interventions like CBT, when combined with physical activities such as aerobic exercise, have also demonstrated potential in reducing inflammatory markers in cancer survivors[31][3]. CBT has been effectively used to treat a spectrum of mental health conditions beyond depression and anxiety, including OCD, PTSD, personality disorders, eating disorders, and substance use disorders. When used in conjunction with medication, CBT can further enhance treatment outcomes for bipolar disorder and schizophrenia, underlining its versatility and effectiveness as a therapeutic approach[14][32]. The evidence base for CBT's efficacy is further enriched by case examples and therapeutic intervention studies designed to address trauma-related symptoms, thereby preventing the development of PTSD. These interventions include exposure techniques and cognitive restructuring, aimed at coping with anxiety and negative thoughts, showcasing CBT's capacity to facilitate recovery from traumatic experiences[33][34].

Implementation Strategies

Cognitive-Behavioral Therapy (CBT) encompasses a broad array of techniques and strategies that are designed to be straightforward, actionable, and centered on the collaborative effort between the therapist and the patient. The essence of these strategies lies in their ability to enable individuals to understand and modify the underlying cognitive processes that contribute to their psychological and physiological distress. This section outlines the primary strategies involved in the implementation of CBT for managing immune-mediated disorders, highlighting the role of cognitive restructuring, the collaborative problem-solving approach, and the emphasis on tailoring interventions to meet individual needs.

Cognitive Restructuring

One of the core strategies in CBT is cognitive restructuring, which aims to help patients identify, challenge, and alter maladaptive thoughts and beliefs[35]. This technique involves tracking negative thinking patterns that lead to distressing emotions and behaviors, subsequently guiding the patient towards developing healthier, alternative responses. Cognitive restructuring is pivotal in addressing the distorted cognitions that can exacerbate or maintain symptoms of immune-mediated disorders.

Collaborative Problem-Solving

CBT is fundamentally a collaborative effort between the therapist and the patient, where both parties engage in a problem-solving process[1]. This approach ensures that patients become active participants in their therapy, working together with their therapists to test the validity of maladaptive cognitions and to modify behavioral patterns accordingly. Such a partnership is crucial in fostering a sense of empowerment and ownership over one's treatment journey, enhancing the effectiveness of the therapy.

Tailoring Interventions

The successful implementation of CBT also depends on the customization of therapy to address the unique needs of each individual[36]. This bespoke approach may involve a multidisciplinary team comprising physicians, neuropsychologists, and other specialists to ensure comprehensive care[36]. Whether employing restorative strategies to reinforce weakened skills or compensatory techniques to adapt to impairments, the goal is to provide personalized therapy that best supports the patient's recovery and management of their condition.

Multi-Component Interventions

CBT for immune-mediated disorders may also integrate various cognitive, behavioral, and emotion-focused techniques[1]. This integration allows for a more holistic approach, addressing not only the psychological aspects of the disorder but also its physiological impacts. Techniques such as mental imagery have shown promise in tackling negative emotions and modifying distorted cognitive beliefs, further underscoring the adaptability of CBT to meet diverse therapeutic needs[37].

Overcoming Challenges

Cognitive-Behavioral Therapy (CBT) is a significant intervention for managing and treating immune-mediated disorders, offering a path to mitigate the impact of these conditions through behavioral change and psychological support[4][14]. However, implementing CBT effectively in this context encounters several challenges, from the severity of symptoms to the necessity for a multidisciplinary approach and the personalization of therapy.

Personalization of Therapy

A one-size-fits-all approach is not effective in cognitive rehabilitation for immune-mediated disorders. There is a consensus in the literature that cognitive rehabilitation must be tailored to the individual needs of the patient[36]. This personalization involves selecting between restorative and compensatory approaches or a combination thereof, depending on the patient's specific symptoms and circumstances[36]. Personalizing therapy ensures that the interventions are relevant and effective for the patient, addressing their unique challenges and promoting better outcomes.

Severity of Symptoms

The severity of symptoms in immune-mediated disorders can pose a significant challenge to the effectiveness of CBT. Patients with severe symptoms may find it more difficult to engage fully in cognitive-behavioral interventions[18]. Despite these difficulties, healthcare providers play a crucial role in assisting patients to manage their symptoms adequately, ensuring that they can participate in daily activities and benefit from CBT[18].

Need for Multidisciplinary Approach

Cognitive-behavioral interventions for immune-mediated disorders show enhanced benefits when integrated into a multidisciplinary or interdisciplinary treatment plan[36]. The inclusion of a broad team of professionals, including physicians, neuropsychologists, speech-language pathologists, occupational therapists, physical therapists, and social workers, ensures that the therapy is comprehensive[36]. This collaborative approach not only addresses the cognitive and behavioral aspects but also the physical and social dimensions of the disorder, making the treatment more effective.

Research and Evidence Challenges

The effectiveness of cognitive-behavioral interventions in this context is supported by research, but the quality of evidence can sometimes be affected by methodological limitations[28]. Challenges such as imprecision, the risk of bias, and heterogeneity in study designs can complicate the interpretation of results and the determination of best practices[28]. Despite these issues, ongoing research and meta-analyses play a critical role in synthesizing available data, improving the understanding of these interventions' impact, and guiding clinical practices[28].

Future Directions and Innovations

As cognitive-behavioral interventions (CBIs) continue to evolve, their potential to positively impact immune-mediated disorders through stress reduction and psychological support is increasingly recognized. Future research and clinical innovations are expected to focus on enhancing these interventions, integrating cutting-edge scientific discoveries, and refining methodologies to optimize patient outcomes.

Incorporating Psychophysiological Challenges in Research

Future studies are recommended to systematically include psychophysiological challenges to better understand the mechanisms by which CBIs enhance immune function[29]. This approach would not only shed light on the biological underpinnings of the observed benefits but also guide the development of targeted interventions that can more effectively modulate immune responses in patients.

Advances in Cognitive-Behavioral Therapy (CBT)

With the significant progress in CBT research and practice, it is essential to continue advancing the evidence base and tailoring interventions to meet the specific needs of individuals with immune-mediated disorders[4]. The collaboration between psychologists and patients to develop personalized treatment strategies, grounded in scientific evidence, is

crucial for maximizing therapeutic effectiveness.

Targeted Disease Therapy Integration

The remarkable advancements in the treatment of immune-mediated inflammatory diseases, moving from broad spectrum modulators to highly targeted biological and small-molecule agents, underscore the importance of integrating CBIs with these novel therapies[30]. Such an integrated approach could address not only the biological aspects of the diseases but also the psychological factors, potentially leading to better overall outcomes.

Meta-analysis and Evidence Synthesis

Conducting meta-analyses to synthesize available evidence on the effectiveness of CBIs across diverse populations and disease conditions is crucial for identifying best practices and guiding clinical implementation[28]. By assessing the homogeneity of studies and presenting global and individual study results, researchers can provide a more nuanced understanding of CBIs' impacts, informing future research and clinical practice.

Addressing Chronic Inflammation

Given the role of chronic inflammation in both physical and mental health problems, future innovations should also explore how CBIs can specifically target and mitigate inflammation[7]. Understanding the interplay between psychological interventions and inflammatory processes could lead to more effective treatments for a range of conditions.

Personalized and Flexible Treatment Approaches

Emphasizing the customization of therapy based on individual patient needs and characteristics will remain a key direction for innovation[14][10]. Flexibility in treatment planning and a high level of client involvement are critical for the acceptance and success of CBIs in managing immune-mediated disorders.

References

[1]: The Efficacy of Cognitive Behavioral Therapy: A Review of Meta-analyses - PMC

[2]: Compensatory Interventions for Cognitive Impairments in Psychosis: A Systematic Review and Meta-Analysis - PMC [3]: Neuroendocrine-Immune Mechanisms of Behavioral Comorbidities in Patients With Cancer - PMC
[4]: What is Cognitive Behavioral Therapy?

[5]: Cognitive Behavioral Therapy (CBT): Types, Techniques, Uses

[6]: Psychological Stress and the Human Immune System: A Meta-Analytic Study of 30 Years of Inquiry - PMC [7]: Cognitive Behavioral Therapy is Linked With Improved Immune Function | Brain & Behavior Research Foundation
[8]: Disorders of the Immune System | Johns Hopkins Medicine
[9]: Diseases of the Immune System - Genes and Disease - NCBI Bookshelf

[10]: Chapter 4—Brief Cognitive-Behavioral Therapy - Brief Interventions and Brief Therapies for Substance Abuse - NCBI Bookshelf

[11]: Invited essay: Cognitive influences on the psychological immune system - ScienceDirect

[12]: Challenged Immune System Improves Cognitive-Behavioral Responses in Homeostasis and Recovers Malaria Induced Cognitive Impairment in Mice | bioRxiv

[13]: Cognitive behavioral principles in managing chronic disease - PMC

[14]: Cognitive Behavioral Therapy (CBT): What It Is & Techniques

[15]: Immune-mediated inflammatory diseases (IMIDs) and biologic therapy: a medical revolution - PMC [16]: Immune-Mediated Diseases from the Point of View of Psychoneuroimmunoendocrinology - PMC [17]: Stress, emotion, and human immune function - PubMed
[18]: Autoimmune Diseases: Causes, Symptoms, What Is It & Treatment

[19]: Potential Fluid Biomarkers for the Diagnosis of Mild Cognitive Impairment - PMC

[20]: Frontiers | Biomarkers in Psychiatry: Concept, Definition, Types and Relevance to the Clinical Reality

[21]: Psychosocial Interventions and Immune System Function: A Systematic Review and Meta-analysis of Randomized Clinical Trials

[22]: Cognitive-Behavioral Therapy a Standout for Better Immune Function

[23]: Cognitive Behavioral Stress Management - an overview | ScienceDirect Topics

[24]: Psychoneuroimmunology - an overview | ScienceDirect Topics

[25]: PSYCHOSOCIAL INTERVENTION EFFECTS ON ADAPTATION, DISEASE COURSE AND BIOBEHAVIORAL PROCESSES IN CANCER - PMC

[26]: Common and Novel Markers for Measuring Inflammation and Oxidative Stress Ex Vivo in Research and Clinical Practice—Which to Use Regarding Disease Outcomes? - PMC

[27]: Frontiers | Editorial: Stress and Immunity

[28]: Cognitive-behavioural interventions for attention deficit hyperactivity disorder (ADHD) in adults - PMC

[29]: Effectiveness of Stress-Reducing Interventions on the Response to Challenges to the Immune System: A Meta Analytic Review - PMC

[30]: Immune-mediated inflammatory disease therapeutics: past, present and future | Nature Reviews Immunology [31]: Neuroendocrine-immune mechanisms of behavioral comorbidities in patients with cancer - PubMed [32]: Overview - Cognitive behavioural therapy (CBT) - NHS

[33]: Case Study: Cognitive Behavioral Therapy

[34]: Cognitivebehavioral Interventions - Posttraumatic Stress Disorder

[35]: What is Cognitive Behavioral Intervention?

[36]: Cognitive Impairment and Rehabilitation Strategies After Traumatic Brain Injury - PMC

[37]: Psychotherapy and Social Change: Utilizing Principles of Cognitive-Behavioral Therapy to Help Develop New Prejudice-Reduction Interventions - PMC