

Visualizing Time Series and Spatial Gradient effect of Urban Heat Island Expansion in Aurangabad (Maharashtra, India) with Machine Learning & Python

Tejashri Laxmikant Chate¹, S. D. Pingle², Dr. M.M.Dhobe³

¹Student (M Tech), ²Assistant Prof., ³Associate Prof
Master of Technology (Computer Science Engineering)
PES college of Engineering, Aurangabad, Maharashtra, India

Abstract

Urban Heat Island (UHI) effects, exacerbated by rapid urbanization and unplanned growth, pose significant challenges for urban sustainability and climate resilience in Indian cities. This study focuses on Aurangabad, Maharashtra, as a case study to understand UHI expansion using machine learning and python based libraries.

Leveraging Python geospatial libraries such as GeoPandas for handling geospatial datasets and Rasterio for reading and manipulating raster data, we preprocess the data to extract numerical temperature values. By applying machine learning algorithms, we identify UHI patterns and their association with land cover types. Our methodology encompasses data preprocessing, numerical temperature value extraction, statistical analysis, and visualization. Through the integration of GeoPandas and Rasterio, alongside Python geospatial libraries, we gain insights into the spatial gradients of UHI expansion.

By elucidating the UHI phenomenon in a booming industrialized urban like Aurangabad, this research aims to inform evidence-based decision-making for urban planning and climate resilience strategies. Our findings contribute to the broader discourse on mitigating UHI effects and fostering sustainable urban development.

I. INTRODUCTION

The conventional expansion of urban centers may inadvertently elevate temperatures due to human activities. In India, rapid urbanization faces challenges from climate change induced by sprawling cities and unplanned growth. This expansion diminishes green spaces, amplifying emissions and reducing cooling capacity, leading to Urban Heat Island (UHI) effects.

In addition to changing the local aerodynamics, radioactivity, thermal properties, and moisture, artificial building materials also affect the local radioactivity. The manner in which these alterations cause a change in the energy & water balance regimes is not fully understood [1], [2].

The urban heat island (UHI) effect describes the temperature difference between urban and rural areas. This is a direct consequence of the alterations in the surface energy balance (SEB) of the area [3]. Depending on the type of temperature and the observational methods, different types of UHIs are defined. In contrast to UHI, which is commonly used to describe differences in urban and rural temperatures, it is better to refer to near-surface air temperatures. It is more suitable to discuss the differences between rural and urban land surface temperature (LST) under the concept of "surface UHI", which was proposed by Voogt and Oke [4].

A country-based analysis underscores China as the most extensively studied country in SUHI (Surface Urban Heat Island) research, with 213 studies, followed by the United States (106) and India (38). Rapid urbanization has caused significant land use changes in metropolitan cities:


- In the last forty years, Delhi's urban area increased by 30.6%, while agriculture and dense forest areas decreased by 22.8% and 5.3%, respectively.
- Mumbai has undergone substantial paving and concretization in the span of 40 years.

- Kolkata witnessed a reduction in vegetation area from 33.6% to 7.4% between 1980 and 2010.
- Chennai's urban built-up area tripled between 1991 and 2016, accompanied by a 12% reduction in vegetation area.

Clearly, urban heat island (UHI) is present in India cities, requiring research to understand its causes and the formulation of the mitigation policies. If urban heat island (UHI) effects continue to rise, several consequences may occur, impacting both the environment and human populations:

- a. Health Risks: Increased heat leads to heat-related illnesses, especially among vulnerable groups.
- b. Energy Demand: Higher temperatures raise the need for air conditioning, increasing energy consumption and emissions.
- c. Air Quality: UHI exacerbates air pollution, impacting respiratory health.
- d. Water Management: Altered precipitation patterns and increased evaporation complicate water management.
- e. Ecological Impacts: UHI disrupts local ecosystems and biodiversity.
- f. Social and Economic Disparities: Vulnerable communities suffer disproportionately from UHI effects.
- g. Infrastructure Stress: Higher temperatures accelerate infrastructure deterioration.

Overall, rising UHI effects pose significant challenges for urban resilience, public health, environmental sustainability, and social equity. Addressing UHI mitigation and adaptation strategies is crucial for building more resilient and liveable cities in the face of climate change.



II. LITERATURE REVIEW:

With rapid urbanization, Urban Heat Islands (UHIs) have become a critical concern, necessitating comprehensive studies to understand their spatiotemporal dynamics. [5] This research delves into the extensive analysis of UHI changes across 369 cities in China from 2005 to 2020. The focus extends to 48 representative cities, providing nuanced insights into the development patterns of both new and pre-existing UHIs in response to urban expansion.

The significance of this study lies in its ability to discern contrasting UHI development trajectories. While long-urbanized regions exhibit relatively minor changes, areas undergoing urbanization represent hotspots for rapid UHI growth. The research emphasizes the pivotal role of urban planning in mitigating UHI effects, urging policymakers to consider potential UHI impacts during the planning of new urban construction land.

Review: Following examinations observed in the method: [5]

- A majority of the datasets were created using Google Earth Engine (GEE) and land use data was sourced from the European Space Agency (ESA), both requiring licenses.
- The extracted land surface temperature (LST) data from the moderate resolution imaging spectroradiometer (MODIS) which available on demand.
- For the raster calculator tool and spatial gradients of UHII uses licensed ArcGIS (Aeronautical Reconnaissance Coverage Geographic Information System) platform

Scope for implementation:

The urgency of addressing UHI's adverse impacts in Aurangabad (MH India), utilizing a Python module for analysis involving spatial gradient, time series, machine learning, and remote sensing images. A Python language can be used very efficiently for processing big data sets since it is fast, automated, and can utilize machine learning concepts. For acquisition of LST and satellite imagery of Earth, Landsat is used because it is free, oldest among them, easily accessible on USGS (United States Geological Survey) and has global coverage.

III. STUDY AREA

Aurangabad [8], renowned for its rich tapestry of history and industrial prowess, occupies a unique geographical niche characterized by three distinct seasons: winter, summer, and rainy. Its ancient monuments, including the UNESCO World Heritage Sites of the Ajanta and Ellora Caves, draw visitors from far and wide, particularly during the balmy summer months when the city's cultural vibrancy is at its peak. However, Aurangabad's ascent as an industrial hub, coupled with the specter of climate change, has cast a shadow over its picturesque landscape.

In recent years, Aurangabad has found itself grappling with a formidable adversary: rising temperatures exacerbated by urbanization and industrialization. The city's industrial corridors, which once symbolized progress and prosperity, now contribute to the urban heat island effect, where vast expanses of concrete and asphalt absorb and radiate heat, resulting in localized temperature spikes. As temperatures soar, residents face a slew of challenges, from increased energy demands and compromised air quality to heightened health risks. As Aurangabad strides towards modernity, propelled by industrial growth and urbanization, its once idyllic landscape is undergoing a metamorphosis. Urban areas experience significantly higher temperatures than rural areas, a phenomenon known as the urban heat island effect. Modern cities are pulsating with vitality, but this vitality also fuels the urban heat island effect. With concrete jungles replacing verdant landscapes and heat-absorbing surfaces dominating the urban fabric, Aurangabad finds itself ensnared in a cycle of rising temperatures and escalating challenges.

In India, while the focus of environmentalists and researchers often gravitates towards major metropolitan cities in the study of urban heat islands, Aurangabad emerges as a beacon of opportunity. Providing a unique insight into the UHI phenomenon in a city of historical and industrial significance, this study fills a critical knowledge gap regarding urban heat islands. Through the development of basic methodologies to accurately calculate and visualize UHI expansion, this study aims to lay the groundwork for informed decision-making and effective mitigation planning. In doing so, it aspires to not only address the immediate challenges faced by Aurangabad but also to contribute valuable insights to the broader discourse on urban sustainability and climate resilience.




IV. METHODOLOGY

Initially will download the Landsat satellite images of the study area covering multiple time periods from reliable sources such as the USGS Earth Explorer or NASA Earth data. These images capture various spectral bands, including thermal infrared (TIR), which is crucial for detecting surface temperatures. The historical temperature data gathered from reputable meteorological datasets like NOAA or NASA's Modern-Era Retrospective Analysis for Research and Applications (MERRA). Once we have the Landsat images, we'll use geospatial libraries like GeoPandas and Rasterio in Python to preprocess the data. GeoPandas will help us handle geospatial datasets, while Rasterio will assist in reading and manipulating raster data, such as the Landsat images.


Next, we'll delve into the Python algorithm. This algorithm will work its magic on the Landsat images, converting them into numerical temperature values. These values represent temperature variations across different areas of the landscape.

Now, why is this step crucial? It is necessary to analyze temperature differences over time in order to understand the Urban Heat Island (UHI) effect. By leveraging machine learning algorithms and statistical methods, we can identify patterns and changes in temperature distribution.

For visualization, we'll employ Python libraries like Matplotlib, Seaborn, and Folium. Matplotlib and Seaborn are excellent for creating static visualizations, while Folium is perfect for interactive maps. These tools will help us present our findings in a clear and visually appealing manner.




Flowchart: UHI effect in Aurangabad for summer season



V. RESULTS AND DISCUSSION

This methodology provides a comprehensive approach to UHI analysis, from preprocessing Landsat images to visualizing results and exploring advanced predictive analytics options. The combination of a user-friendly GUI, efficient data processing, and potentially machine learning makes this tool valuable for researchers and city planners tackling urban heat challenges.

- The GUI includes an image slideshow feature for visualizing spatial temperature variations over time, showing the progression of heat across the city. This visualization enhances the understanding of UHI growth in specific areas.
- Gradient Effects and Color Mapping: Each time slice is represented using a gradient color map, with cooler temperatures shown in blues and warmer temperatures in reds, making it easy to interpret heat distribution.
- Excel Export: For each location and year, the tool saves temperature data in Excel, allowing users to review historical trends, conduct additional analysis, or share data.
- The project could incorporate machine learning models to predict future UHI trends, detect anomalies, or automate region classification based on temperature patterns.



Discussion

The introduction illuminated the escalating challenges posed by rapid urbanization and climate change, emphasizing the need for research to comprehend the causes and implications of UHI effects. Furthermore, the study area description provided valuable insights into Aurangabad's unique geographical and climatic characteristics, highlighting its susceptibility to UHI phenomena amid industrial growth and urban development. Our methodology involves downloading Landsat images from the USGS Earth Explorer, preprocessing the data using GeoPandas and Rasterio, applying a Python algorithm to convert images into numerical temperature values, analyzing temperature patterns using machine learning algorithms, and visualizing the results using Python libraries like Matplotlib, Seaborn, and Folium. This comprehensive approach allows us to gain insights into the Urban Heat Island effect and its implications for urban planning.

VI. ACKNOWLEDGMENT

It is indeed with a great sense of pleasure and immense sense of gratitude that I acknowledge the help of these individuals which led to the successful completion of this paper “Visualizing Time Series and Spatial Gradient effect of Urban Heat Island Expansion in Aurangabad (MH) with Machine Learning and Python”. I would like to thank our Guide Prof. Suvarna D. Pingle and Prof. Dr. M. M. Dhobe, HoD, M Tech(CSE) PES college of Engineering, Aurangabad, Maharashtra, India for their support and advices while completing this paper.

REFERENCES

- [1] List and number all bibliographical references in 10-point Times, single- C. S. B. Grimmond, “Progress in measuring and observing the urban atmosphere,” *Theor. Appl. Climatol.*, vol. 84, nos. 1–3, pp. 3–22, Feb. 2006.
- [2] J. Arnfield, “Two decades of urban climate research: A review of turbulence, exchanges of energy & water, & the urban heat island,” *Int. J. Climatol.*, vol.23, no.1, pp.1–26,2003.
- [3] T. R. Oke, “The energetic basis of the urban heat island,” *Q. J. R. Meteorol. Soc.*, vol. 108, no. 455, pp. 1–24, 1982.
- [4] J. A. Voogt and T. R. Oke, “Thermal remote sensing of urban climates,” *Remote Sens. Environ.*, vol. 86, no. 3, pp. 370–384, 2003.
- [5] IEEE paper: Research on Time Series and Spatial Gradient of Urban Heat Island Expansion from the Perspective of Urban Renewal. DOI: 10.1109/IJSTARS.2023.3314970 Author: XixiLiu ,NanWang , Zili Li, RuoyuJia , and ZhiQiao from School of Environmental Science and Engineering, Tianjin University, Tianjin 300372, China.
- [6] District Environment Plan: Aurangabad by Environment Department, Government of Maharashtra and Maharashtra Pollution Control Board
- [7] Zeba Nisar, Ritu Gulati and Khurram Ashraf “Analyzing Urban Heat Island Effect in India: Literature Review” Vol.13/Issue76/February/2023, International Bimonthly (Print), ISSN: 0976 – 0997, IJONS
- [8] MDPI journal- Sustainability 2022, 14, 642. <https://doi.org/10.3390/su14020642>: Assessing the Influence of Land Use/Land Cover Alteration on Climate Variability: An Analysis in the Aurangabad District of Maharashtra State, India By MdMasroor, Ram Avtar , Haroon Sajjad, PandurangChoudhari, Luc CimusaKulimushi, Khaled Mohamed Khedher, AkinolaAdesujiKomolafe, Ali P. Yunus and NetranandaSahu
- [9] IEEE paper: Effects of Urban Redevelopment on Surface Urban Heat Island by Dan Li, Shaofeng Yan, Guangzhao Chen
- [10] Wangchongyu Peng, Rui Wang, JinDuan, Weijun Gao, Zhengxi Fan: Surface and canopy urban heat islands: Does urban morphology result in the spatiotemporal differences ?science direct/article/abs/pii/S2212095522000542